

The Gay Philosopher

By J. W. S.

WAS DOWN AT the Union station to meet the special train from Weatherford at 6:45 p. m. Friday, and there were 408 people aboard some 12 cars, including the high school band. For Cisco school buses and a goodly number of private cars let the train to transport the visitors to Chesley Field. . . .

Several people told us "there seems to be more people sitting in the Weatherford side than on Cisco's." We can report that a lot of local people moved to the Weatherford side so the cold, damp wind would be at their back instead of in the face. . . .

A LARGE GROUP of family and friends dropped in at the H. Nance home Friday evening to eat birthday cake and offer best wishes for a happy birthday. . . .

RAN INTO Mr. W. J. Foxworth the other day, and he reports that they've sold their home at 301 West 4th Street to Mr. and Mrs. Clarence Roop. . . .

UNDERSTAND THE gas flares in West and South Cisco will be out soon, if they haven't already, for the Cisco Pipe Line company, has been laying pipe to take the gas from them. . . .

THIS IS National Education week (Nov. 8-14). There will probably be invitations for everyone to visit the schools during the week as has been the custom in the past. . . .

It would be fitting during the week to express our appreciation to the school board members — men who donate considerable time to the management of the school system without remuneration. . . .

A GOOD MANY Ciscoans will serve birthdays this week, according to our birthday calendar. . . .

New Method Of Credit Rating Is Installed Here

"Signal Credit System, the latest method of credit determination and dissemination of credit information by an unbiased, accurate and definite method," will come to Cisco on November 10, says Mrs. Lucile Huffmyer, secretary-manager of the Merchants Credit Association. . . .

When a purchaser does not meet his obligations within a reasonable time, after the expiration of the agreed period, he receives a warning or 'caution' signal as the green 'go' light changes to amber, Mrs. Huffmyer said. . . .

Should the purchaser or patient ignore the 'caution' signal, he next receives the 'stop' signal. Failing to heed this signal on or before the filing date indicated, on the notice, he is automatically rated in the bureau file and his credit rating is jeopardized until he pays the past amount due, she pointed out. . . .

At the last meeting of the association, the members adopted it and the service is available to all members, both business and professional. . . .

Former Resident Dies In Accident

Word was received in Cisco Saturday of the death of Mrs. W. R. Miller, former Cisco resident, in an automobile accident near Greensburg, Kansas, at 5 p. m. Friday. . . .

The accident occurred on slick pavement as Mr. and Mrs. Miller were approaching Greensburg en route from their home in Midland to visit their son and family, Mr. and Mrs. Ray Miller and son, in Great Bend, Kansas. . . .

Reports of the accident were meagre, but it was believed that Mr. Miller lost control of the car on wet pavement, and that it overturned. Mrs. Miller lived two hours. Mr. Miller received a broken leg and will remain in the Kansas hospital for several weeks. . . .

Funeral arrangements were incomplete Saturday. Mr. and Mrs. Miller and family lived in Cisco for a number of years in the 1920s and 1930s. He was a law enforcement officer here and in other West Texas cities. . . .

Mr. and Mrs. Roy Burnam and daughter, Kay, and Don Kerr, all of Lubbock, were expected in Cisco late Friday for a week end visit with relatives and friends, and to attend the Weatherford-Cisco game Friday night. . . .

Loboes Lose Conference Tilt To Strong Weatherford Team

Except for about three minutes, during which their goal line was crossed three times, the underdog Loboes of Cisco High School battled the Weatherford High Kangaroos on even terms or better in a District AA-9 conference football game here Friday night. . . .

With Marcus Gallegos and Harold Phippen slashing their way through the Kangaroo line for consistent gains, the Loboes out-gained the visitors on the ground to make 11 first downs — the same number Weatherford had. . . .

NEW AUTO BANK LOAN RATE 4% per \$100 per installment month 15% NAT'L in Cisco—Mr. F. D. L. C.



SHOCKING EXPERIENCE—Roland Eisenbeis, a naturalist, stands in front of a boat steered by fish biologist Bruce Muench as they make a census of types and sizes of fish in a lake in the Cook County, Ill., Forest Preserve. Eisenbeis is using an electric shock device that renders fish unconscious so they'll float to the surface. They soon recover and feel fine again.

SCRANTON YOUTHS GET LICENSE TO PREACH AT CHURCH SESSION

Don and Dan Jobe, senior students at Scranton High School, were granted license to preach by the District Conference of Methodist churches at the First Methodist Church here Wednesday and Thursday, according to the Rev. Leslie Seymour, superintendent. . . .

The boys are twin brothers and have long been prominent in 4-H Club work. They plan to attend college next year. The two youths have made their home with their uncle and aunt, Mr. and Mrs. Bill Clinton, west of Scranton since the death of their mother when they were 4 years old. . . .

The churches of the district have gained 156 new members during the past three months and have raised \$65,000, Mr. Seymour reported. Improvements for district churches were reported as follows: First Church, Breckenridge, new educational annex; Dublin and Flatwood, building improvements; First Church, Cisco, new organ chimes installed as a memorial to the late Sam Greer; Wesley Church, Cisco, new Sunday School annex, and others. . . .

Eastland-Gorman Playoff Game Is Scheduled Here

The Oil Belt Junior High School Conference football championship will be decided on Chesley Field Tuesday night when the Eastland Dogies meet the Gorman Cubs in a play-off game for the crown. . . .

The two teams met in Gorman recently and the game ended in a 6-6 tie. The play-off was arranged for a neutral field and Cisco was selected as the game site. . . .

Gorman and Eastland were undefeated prior to their first meeting. The Oil Belt Junior High Conference is composed of Cisco Junior High, Rising Star, Dublin, De Leon, Eastland and Gorman. . . .

BAND PARENTS TO MEET

All members of the Cisco Band Parents Association were reminded of the regular monthly meeting at the band hall at 7:30 p. m. Monday. The parents of all high school and junior high school band members were reminded that they are members of the organization, and were urged to attend to help promote the work of the bands. . . .

Mrs. J. C. Donaldson and son, Chuckie, will return to East Texas with Mrs. Donaldson's sister, Mrs. Charles Olson, who has been visiting in the home of her mother, Mrs. Roxie Hibbert. While in East Texas, Mrs. Donaldson and son plan to visit in Louisiana. . . .

Mrs. Velzie Penn Called By Death Here Saturday

Mrs. Velzie W. Penn, pioneer Cisco area resident, died in a local hospital at 1:05 p. m. Saturday following a serious illness of some two weeks. She had been in ill health for the past three years, but had been in the hospital for only about a week. . . .

Mr. and Mrs. Penn had lived at their farm home few miles west of Cisco on Rt. 4 for 52 years. She was born in Comanche County on May 13, 1876, the daughter of the Rev. and Mrs. John W. English. While she was a young girl she moved with her parents to Brown County. . . .

On December 19, 1900, she was married to Velzie W. Penn in the home of her parents in Brown County. They moved to this area immediately and a year after their marriage they moved to the farm where they were living at the time of her death. . . .

Mr. and Mrs. Penn had four children, all of whom survive here. They are Mollie B. Penn of Torrington, Wyoming, Frank Penn of Ranger and John Penn and Cecil Penn, both of Cisco. Also surviving are seven grandchildren, two brothers and four sisters. The brothers are Sim English of Houston and Joe English of May. The sisters are Mrs. Lou Brandon of Santa Anna, Mrs. Ida Piper of Avord, Oklahoma, and Mrs. Sophia Bain and Mrs. Lola Turner, both of San Antonio. . . .

Funeral arrangements were in complete Saturday awaiting the arrival of her son, Mollie B. Penn, from Wyoming by plane. The services will probably be held at Thomas Chapel Monday afternoon. Thomas Funeral Home will announce the plans. . . .

Tax Collections Ahead Last Year

More than two-thirds of the money to be collected in taxes by the City of Cisco from the 1953 tax roll was paid on October 31, City Secretary Hal Lavery reported Saturday. Collections totaled \$54,327.15 or 67.5 per cent. . . .

On the same date in 1952, the sum of \$53,106.54 had been paid. This amounted to 66 per cent of the taxes to be collected. Mr. Lavery reported that the City Commission recently purchased \$3,975 in tax debt bonds for \$3,832 to save \$119.25 per year in interest. The city purchased a total of \$12,875 worth of tax bonds for cancellation during the year, Mr. Lavery said. . . .

Open House Planned At J. M. Dillion Home

Mr. and Mrs. J. M. Dillion, pioneer area residents, will be hosts at an open house Sunday from 2 to 6 p. m. at their home on the Scranton Road in celebration of their 50th wedding anniversary. All their friends were invited to attend the open house and to join Mr. and Mrs. Dillion in the celebration. . . .

New Project Due To Provide Pavement For Southern Area

Scoreboard Dedicated . . .

FOOTBALL, BAND SWEETHEARTS ARE PRESENTED AT GRID GAME

The highlight of the between half activities at the Cisco-Weatherford game at Chesley Field Friday night was the presentation of Miss Rhelda Reed as football sweetheart for 1953 and Miss Nancy Cluck as the band sweetheart for the school year. . . .

The two were selected by members of the Lobo squad and the Lobo band in secret balloting held earlier in the week, and their identity was kept secret until their presentation. . . .

Miss Reed is a senior student at Cisco High School and is the daughter of Mr. and Mrs. Clell Reed of Humboldt. She has been active in all phases of school work during the time she has been in school. She is one of the cheer leaders, is on the annual staff and has many other offices at Cisco High School. . . .

Miss Cluck, daughter of Mr. and Mrs. R. N. Cluck, is also an active student at Cisco High School and is in her fourth year as a member of the high school band. She is vice-president of the band council, and has won many honors with her music during her school years. . . .

The two girls entered the stadium in a bright red convertible which took them to the front of the north stands where the Lobo band had formed a huge heart. While the band played appropriate music Miss Reed entered the heart on the arms of Lobo Captains Bob Qualls and Monte Ingram. Miss Cluck entered on the arm of Band President Leon McCrary. Each sweetheart was presented a bouquet of giant chrysanthemums in the Cisco school colors. . . .

Another impressive ceremony at Chesley Field Friday night was the dedication of the new electric scoreboard for the use of Cisco Junior College and the

Mrs. Lisenbee Is Given High Post In Eastern Star

Mrs. T. E. Lisenbee of Cisco was appointed deputy grand matron for District Three, Section Four, at the Grand Chapter of Texas, Order of the Eastern Star, that closed Thursday, Nov. 5, at Fort Worth. . . .

The appointment was made by Mrs. Mary Ella Shaverling, worthy Grand Matron of the Texas organization. Chapters in Mrs. Lisenbee's district are: Cisco, Eastland, Ranger, Strawn, Rising Star, Sipe Springs, Gorman, DeLeon, Desdemona, Dublin, Moran, Albany, Baird and Clyde. . . .

Mrs. Lisenbee is past matron of the Cisco Chapter No. 461 and is on the advisory board of the Order of Rainbow. She has lived in Cisco all of her life and is an active member of the First Baptist Church and other organizations. . . .

She has been a member of the Order of Eastern Star for ten years, and Mr. Lisenbee is a member of the Cisco Masonic Lodge. They have three children, Roger and Joan of Cisco and Mrs. Bill Valentine of Snyder. . . .

RANCHERS INVITED TO ATTEND PEST CONTROL CLINIC MEETING

Livestock producers and others interested in livestock are invited to attend the Texas Pest Control Clinic to be held in Breckenridge November 9. The meeting begins at 9:30 a. m. and will be held in the American Legion Hall. A meeting and election of officers for the West Texas Ranchers Association will begin following the clinic. . . .

Many nationally prominent speakers from the governmental and state experiment stations, Texas Technological College, A. & M. College and its branches, and the state extension services will discuss aspects of livestock

Cisco public schools. The scoreboard was purchased by the Cisco Boosters Club for the use of the schools. In the dedication ceremonies held prior to the opening kick-off, Boosters Club President Bob Latson made the dedication. The response was made by O. L. Stamey, president of Cisco Junior College, and Arlin Birt, superintendent of the Cisco public schools. . . .

Farm Bureau To Hold Convention At Mineral Wells

MINERAL WELLS, Nov. 7.—Texas Farm Bureau delegates may hear major farm policy statements here Tuesday when Sen. Lyndon Johnson and Allan Kline, president of the American Farm Bureau Federation, address the 20th annual meeting of the farm organization. . . .

This will be the most important meeting in the history of the Texas Farm Bureau. Up for consideration by the voting delegates will be flexible vs. fixed support prices, support prices on cattle and many other vital state and national issues. Resolutions on national issues adopted here will be instructions to the state's delegates who will attend the national convention in December in Chicago. Adopted resolutions on state issues will become the farm organization's official policy for next year. . . .

Kline, who has been president of the national farm organization since 1947, will speak at 1:30 p. m. Sen. Johnson, minority leader in the Senate, will address the convention at 2:45. Banquet speaker Tuesday night will be Dr. Herbert E. Stotts, professor of sociology of religion, Iliff School of Theology, Denver. . . .

J. Walter Hammond, president of the state farm organization, will deliver his annual message to the delegates and members Wednesday morning. The convention will adjourn sometime Wednesday after resolutions have been voted on for adoption or rejection. . . .

Some 1,200 members and delegates and their families are expected to attend the meeting which will be held in the Baker Hotel. The Eastland County body will be presented by Ray Norris, Eastland; Clyde Coates, Cisco; Mitchell Campbell, Gorman; Mr. Wade, Ranger; Mr. and Mrs. A. Z. Myrick, Cisco; Mr. and Mrs. John Love, Ranger; and Mr. and Mrs. George Bennett, Kokomo. . . .

Mr. and Mrs. W. J. Armstrong have returned from a visit with Mr. and Mrs. Ray Miller and son in Great Bend, Kansas. They also visited Mr. and Mrs. Curtis Clymer, Mr. and Mrs. Jim Armstrong, and Mrs. Ula Wilker in Oklahoma. . . .

Mr. and Mrs. Robert L. Causey have been the guests of their parents, Mr. and Mrs. Roy George, this week before being transferred from Jackson, Mississippi, to Abilene where he will be manager of the Grand Store. . . .

TRADE AT HOME

If you spend a dollar at home you have some hope of getting it back; if you don't, you just spend a dollar.

Highway To Cross Plains Announced

A paved highway from Cisco to Cross Plains, serving a number of farm and ranching communities, appeared in excellent prospect Saturday as the Texas Highway Department announced plans for a new farm-to-market road from Nimrod south to State Highway 36. . . .

The hard-surfaced road from Cisco to Cross Plains has been a project of the Chamber of Commerce here for many years, Chairman George Davis of the highway committee said. . . .

State Highway Engineer D. C. Greer wrote that "the Commission has just approved a program of work that will be carried out during the next two years from finances that will be available over this period of time from funds derived from appropriations made by the last session of the Texas Legislature in Senate Bill 287." . . .

Mr. Greer noted that building of Farm Road 569 from Nimrod south to Highway 36, a distance of about 15.2 miles, would require the county to furnish all required right-of-way free of cost of the state. When the county accepts the conditions of the project, the state highway engineer will proceed with construction and assume the road for maintenance. . . .

The farm road from Cisco to Nimrod was built about two years ago. Early this year, some five miles from Farm Road 569 to Scranton were paved. The county secured the right-of-way for these roads and in virtually all cases the property owners donated the needed right-of-way. . . .

Another project planned for Eastland County is two-tenths of a mile of pavement from Farm Road 1027 at Chuckville east to the Comanche County line, to join a Comanche County project there. . . .

Grocery Stores To Close Nov. 11

Most Cisco grocery stores will be closed all day Wednesday, November 11, in the observance of Armistice Day, it was announced Saturday. . . .

Joining in the holiday closing will be Norvell and Miller, Fred's Grocery and Market, McCracken's Grocery, Farm Store, Meglasson I.G.A. Food Store, Piggly Wiggly, Pelfrey Food Store, A & P Store and Hyatt Grocery and Market. . . .

The First National Bank will be closed for the day, it was announced. . . .

Department stores, fashion shops, and most other business firms will remain open Wednesday. . . .

CARD OF THANKS — We would like to express our sincere gratitude to all our wonderful friends who helped us in the long illness and the passing of our loved one, Lloyd Gosnell. May God's richest blessing be with each one of you. . . .

Vergie Gosnell & Son
Mr. and Mrs. J. W. Gosnell & Terry
Mr. and Mrs. Andrew Gosnell
Mr. and Mrs. Vernon Gosnell
Mr. and Mrs. Troy Gosnell

CARD OF THANKS

Many words cannot express our deep appreciation for the kindness and thoughtfulness of our many friends who made Pat's passing easier to bear. We are sincerely grateful for the earnest prayers, for the lovely floral offering, for the cards and letters, for the meals so graciously prepared and served, and for every other act of kindness. We wish to thank especially Dr. Addy, Dr. Lawrence, the nurses, and the entire hospital staff for their tireless efforts in Pat's behalf. May God bless each of you. . . .

Mr. & Mrs. Fred Grist,
Betty and Freda
John Jay Horn and family

Mrs. Joe D. Hyde of Warrenton, Oregon, is visiting her daughters, Mrs. Jack Rawson and Lucy Calaway, and other relatives. . . .

See DON PIERSON
Olds-Cadillac
Before You Trade!

Let Your Bank Be Bookkeeper
157. NAT'L in Cisco—Mr. F. D. L. C.
BANK BY MAIL AND SAVE TIME

THE CISCO DAILY PRESS

Consolidated with Cisco Daily News and Cisco American and Round-Up, November, 1937.

Entered as Second Class Matter December 11, 1934, at the post office at Cisco, Texas, under Act of March 3, 1879.

J. W. SMITH and TED READ

Publishers

Published Daily except Saturday and Monday at Cisco, Eastland County, Texas, by Free Press Publishing Corporation, incorporated under the laws of Texas. Editorial and publication offices at 304-306 D. Avenue, Cisco, Texas.

National advertising representative: Texas Daily Press League, Dallas, Texas

SUBSCRIPTION RATES

\$3.00 per year by mail (outside Cisco) in Eastland, Stephens and Callahan Counties, Texas. In other Texas Counties, \$5.00.

Per year in advance (Cisco, by mail) \$5.50

Per week (by carrier) 13c



ROSE GROWING SUGGESTIONS

By MRS. E. E. ADDY JR.

Member of the Cisco Garden Club

Of all flowers — few have been so consistent in popularity as the Rose — there is a type for most any spot in the garden. Unfortunately, however, we have no rose or any other plant introduced yet which will thrive without care. Success with garden roses, therefore, is in direct ratio to the effort and care expended. The following are the principal points to keep in mind on the culture of roses:

Location for Planting

Roses should be planted in a well drained spot where there is sun at least half of the day — not under trees or next to hedge. A loose sandy soil appears to support rose growth better than a tight soil. If the rose bed is to be a large one several holes should be dug about the bed

three feet deep and filled with crushed rock to insure adequate drainage.

Preparation of Beds

1. Grass and weeds or other plants should be removed for a width of 4 feet, single row. 8 feet for a double row. For convenience in caring for plants and cutting of blooms it is best not to have more than two rows together. For further planting, allow a walkway of about 5 feet to the next row of roses.

2. A trench should be dug about 12 to 15 inches deep and about 2 feet wide for each row.

3. Place 3 inches of rotted manure (cattle preferred) or compost in the bottom of the trench.

4. Add good soil on top of the manure or enough so the lowest branches and union with the understock will be just above the soil level when the planting is completed. To make up a good soil mixture, in the material added to the manure, cotton seed meal applied 20 pounds per 100 sq. ft. or 5 to 8 inches of leaf mold will supply and adequate amount of nitrogen and organic material for luxuriant growth. 3 to 5 pounds of super-phosphate per 100 square feet may also be added to any of these mixtures.

After the bed is prepared a pH test of the soil should be taken. Roses do better in a neutral to slightly acid soil. (pH 6 to 6.5) Should the soil be alkaline one should add 1 pound of sulphur per 100 sq. ft. for each degree of alkalinity.

Once the bed is prepared a proper bush should be selected and planted correctly. The American Nursery Association specifications for grading Hybrid Tea roses are as follows:

No. 1 — 3 canes or more at least 13 inches long.

No. 1½ — 2 canes or more at least 15 inches long.

No. 2 — 2 canes or more at least 12 inches long.

Culls do not have enough cane growth or root system.

Care of Bushes on Arrival

When the bushes arrive they should be unpacked immediately and the roots soaked in water for about an hour. If the bushes cannot be planted immediately, dig a trench and bury plants root-down in soil except for top inch or two of the canes. Wet down if the soil is dry. Plant bushes as soon as possible.

Setting Out the Bushes

1. Trim the roots to not more than 12 inches long.

2. Prune the tops back to about 8 inches from the union (where the branching originates). The hole should be deep enough and large enough for the roots to spread well apart.

3. Place a mound of soil under the base of each bush so the roots slant downward into the trench. Cover the roots with good top soil and pack slightly by tamping or tramping. Water if the soil is dry.

4. Planting should be so the bed will be high if the soil is not well drained or level to the surrounding area otherwise. The soil should be just at the base of the union or crown and should not touch the branches during the growing season. Mulching with pine needles, leaves, peanut hulls, ground corn cobs, sawdust, or whatever mulching material is readily available. The mulch holds moisture, helps control weeds and improves aeration.

Some prefer late fall planting of roses, beginning in November when we have our first cool weather. They believe the freshly dug plants are able to become established better and start growth before the early hot weather in the spring.

Other enthusiasts prefer to plant their roses any time from the first of January to the latter part of February. They contend if you plant your roses in the fall they start putting out on account of the mild weather and since we have our hard freeze here in January, February, and March, this new growth is frozen, and the sour sap flows back into the roses and causes die-back and rose canker.

Pruning Established Bushes

General pruning should be done in late winter, just before the buds start swelling, and just after the last hard freeze. (If you are a good weather predictor.) Prune out all the dead wood. Remove enough top growth to keep the bushes in size and shape. Make the pruning cuts close to joints or just above buds (this is superior to using paints or pastes over cuts). Pruning of the growing bush should be done with one of two thoughts in mind. If the roses are being grown for cut flowers, they should be pruned rather drastically but one must remember, however, that this weakens the plants. If the roses

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects flower production and ability to overwinter. This may be controlled by applying 325 mesh dusting sulphur once or twice a week, regardless of rains, or spraying with the new 50% "Captan" spray. This latter fungicide is highly satisfactory when used over a week, if the lower as well as upper side of the leaves is treated. The fungous growth of mildew is superficial (on the outside of the leaf) and the purpose in using fungicidal dusts or sprays, is to kill the fungus which has already developed and to protect against further infection.

Blackspot. Blackspot is recognized on the leaves by the black-colored lesions of nearly circular shape and differentiated from other leaf spots by the generally fringed margins. Frequently the spots fuse producing irregularly shaped lesions of large size. The fungus causes the leaves to turn yellow and shed prematurely. This may be controlled by dusting lightly with Fomate (Ferric dimethyl di-thio carbonate) within 24 hours after each rain or once a week during continuous rains; or spraying with the new 50% "Captan" spray. Treat when the air is still. Begin using a fungicide before black spot appears. (Black spot spreads only during rains or when the leaves are wet from watering.)

Red Spider is characterized by a reddish appearance on the top surface of the leaf and fine webbing on the underneath surface.

are being grown for the garden effect, the pruning is less severe. If pruning for cut flowers, cut back 10 to 14 inches. When cutting blooms or pruning the cut should be made close above a leaf joint (allow at least ¼" for curing-back of the stem) and whenever possible permit 2 or more leaves to remain on the cane below the cut. Also, in cutting the flowers, one can control the future growth or shape of the bush. The new growth will start below the cut, at the base of the leaf and in the direction in which the leaf is growing.

Disease and Pests

In this area, we see most often mildew, blackspot, red spider, and the chewing and sucking insects.

Mildew is characterized by grayish mold on the leaves, flower buds and tender canes. The effect of mildew is to curl and distort the leaves and decrease the rate of growth of the plant. Flower buds are dwarfed and misshapen. Often the entire tips of the canes are severely infected. It is seldom that mildew causes the death of a plant but it causes a weakened condition which affects

Don't Miss Our PHILCO Silver Jubilee TV SALE!

**\$27 GOLDEN HOUR
ELECTRIC CLOCK
FREE**



with any 1954 Philco
Television Console!

Buy during this 25-year
leadership celebration and
Save! Offer includes this
Philco 4110 with true-to-
life Deep Dimension 21-inch
TV picture plus Directional
UHF-VHF Built-in Aerial!
Wide range of other models.

A Console As
Low As
\$259⁹⁵

BIG TRADE-INS

TENNYSON
Radio and TV Sales and Service

(We are Pioneers in Television)

109 AVE. D. — PHONE 511

SOCIETY AND CLUBS AND NEWS OF INTEREST TO WOMEN

Miss Bacon Hostess For Word HD Meeting

Miss Alice Bacon was hostess
in her home Thursday for the
semi-monthly meeting of the
Word Home Demonstration Club.
Mrs. Cora Plumlee, president,
called the meeting to order and
the group joined in singing,
"America." Roll call was an-
swered by "the lesson I liked best
for the year and suggestions for
tieing packages. A candy recipe
was given the group by Mrs.
Clint Britain.

During the business session
plans were completed for the
Achievement Day to be held in
Eastland and for the bazaar and
bake sale to be held at the old
J. C. Penney building Saturday
November 21, at which time a
beautiful doll will be given the
winner. Tickets for the doll are
being sold by the members of the
club. A menu committee was

appointed for the family supper
and entertainment to be held in
the near future.

A refreshment plate was ser-
ved following the meeting to a
visitor, Ellen Bacon, and the fol-
lowing members: Mrs. Alma Hall,
Mrs. Annie King, Mrs. Lilly
Fenley, Mrs. Artie Shirley, Mrs.
Runa Warren, Mrs. Dee Clements,
Mrs. Ellen Dennington, Mrs.
Sadie Youngblood, Mrs. Cora
Plumlee, Mrs. Ida Schaefer, Mrs.
Wardna Stansell, Mrs. Trudy
Britain, Miss Willie Word, Mrs.
Alma Fenley, Mrs. Grace Farns-
worth, and the hostess, Mrs. Alice
Bacon.

Woodman Circle Has Drill Practice Meet

The Woodman Circle met Fri-
day afternoon at the hall for their
regular meeting and for drill
practice. During the meeting
plans were made for the Thanks-
giving supper to be held Novem-
ber 20.

Those attending the meeting
were Mesdames Effie Mayhew,
Vera Ball, George Bailey, Edith
Rainboldt, Iva Harper, Janie B.
McCanlies, Leah Bates, Dee
Clements, E. C. McClelland,
Carol Kay Mayhew, and Brenda
Mayhew.



NO TIME TO SHOP FOR
"THE PERFECT GIFT"?
PHONE US, AND . . .



Miss Whitehead Weds Mr. Weathers Oct. 28

Miss Hattie Whitehead, daugh-
ter of Mr. and Mrs. A. D. White-
head of Cisco, became the bride
of Vandell Weathers, son of Mr.
and Mrs. Clyde Weathers of
Cisco, in a double ring ceremony
performed October 28 in the
study of the First Christian
Church in Abilene. The Rev.
W. H. Woolard, pastor of the
church, performed the ceremony.

The bride wore a brown suit
with green accessories and a cor-
sage of white carnations. For

something old she wore a pin
that belonged to the groom's
great great grandmother. She
carried a blue handkerchief in
a white Bible and wore ear clips
borrowed from the groom's sister.

The bride attended Cisco
schools and is a former employee
of Dean Drug Company in Cisco.
The groom is a graduate of Cisco
High School and is now with the
U. S. Navy on the U. S. S. Fitch
out of Charleston, South Carolina.

FEDERATION TO MEET

The City Federation of Wo-
men's Club will meet Monday at
3 p. m. at the club house with
the Rev. F. C. Bradley, pastor of
the East Cisco Baptist Church, as
the speaker. Special music will
be given by the Rev. Sidney
Spain, pastor of the First Chris-
tian Church. Thanksgiving will
be the theme of the meeting, and
hostesses will be Mrs. Baby Mil-
ler, Mrs. B. S. Huey and Mrs.
Fleming Waters.

CHILI SUPPER PLANNED

Members of the John William
Butts Post 123 of the American
Legion will hold a chili supper
at 6 p. m. Thursday at the Legion
Hall, Post Commander D. N.
Morrison reported today. A short
business meeting will follow.
The meeting will end in time for
members to attend the football
game at Chesley Field, Mr. Mor-
rison said.

FIRST NATIONAL BANK IN CISCO

HOLIDAY NOTICE

Wednesday, November 11

ARMISTICE DAY

. . . This bank will observe the above men-
tioned day as a Holiday and customers are
respectfully advised, so that their currency
needs and other banking services may be
handled accordingly.

THE

MERCHANTS CREDIT ASSOCIATION

OF CISCO

ANNOUNCES THE INSTALLATION

OF

SIGNAL CREDIT SYSTEM

SIGNAL CREDIT WILL HELP BOTH PURCHASER AND CREDIT GRANTOR BY MAINTAINING CURRENT,
UP-TO-DATE INFORMATION IN FILES, THUS SAVING TIME FOR BOTH YOU AND GRANTOR IN OPENING
CREDIT ACCOUNTS.

SIGNAL CREDIT SYSTEM



GREEN

SIGNIFIES GO!
Your Credit Is Good!

AMBER

SIGNIFIES CAUTION!
You May Be Endangering
Your Credit!

RED

SIGNIFIES STOP!
Action Becomes Necessary to Maintain
Your Good Credit Record!

Through use of SIGNAL CREDIT SYSTEM persons buying on credit create their own
credit and automatically rates themselves.

— In Use Now By The Following Business And Professional Men —

NANCE MOTOR COMPANY
A. G. MOTOR COMPANY
BOYD INSURANCE AGENCY
CRAWFORD INSURANCE AGENCY
CISCO LOCKER PLANT
FERGUSON'S
HOME SUPPLY
CISCO DAILY PRESS

CISCO LUMBER & SUPPLY COMPANY
CISCO MAYTAG COMPANY
PHILPOTT FLORIST
DR. E. E. ADDY
HIGGINBOTHAM INSURANCE AGENCY
FIRST NATIONAL BANK
MOORE DRUG STORE
HUFFMYER SERVICE STATION

MERCHANTS CREDIT ASSOCIATION

CISCO, TEXAS

SEARS ROEBUCK AND CO. NOW!

YOUR TRUSTY HELPER
IS HERE WITH THOUSANDS
OF GIFT IDEAS



This Christmas Do All Your
Gift Shopping the Easy
ONE-STOP CATALOG WAY

CHOOSE FROM THE LARGEST SELECTION
OF GIFTS AND TOYS IN TOWN

Shop At
Home By
PHONE

JUST CALL
700

Trained Sales-
people will
take your
order.

You'll find everything for everybody on your gift list
in this new catalog and our big general catalog . . . more
than 100,000 items from which to choose. Eliminate tir-
ing shopping trips from store to store, avoid crowds
and needless hours of "hunting." Do all your Christmas
shopping in one convenient stop. You simply select
the items you want and our trained catalog experts
take care of all other details . . . no red tape . . . no
forms to fill out! It's that simple. Try it.

USE SEARS LAY-AWAY PLAN! A SMALL
AMOUNT DOWN HOLDS YOUR PURCHASES!

"Satisfaction" guaranteed
or your money back

SEARS

621 Ave. D. — Cisco
Store hours 8:30 — 5:30
Phone 700 or 1162

PALACE

THEATRE — IN CISCO, TEXAS
SUN. — MON. — TUES. — WED.

THERE'S A SCORE TO SETTLE... and this is it!

Alan Van Jean
LADD · HEFLIN · ARTHUR

SHANE

Color by **TECHNICOLOR**
with JACK PALANCE

ADDED

News — Color Cartoon

JOY DRIVE-IN

CISCO — EASTLAND HIGHWAY
SUNDAY AND MONDAY

**THE WAYWARD WIFE
WHOSE DESIRES WERE
AS ENDLESS AS THE
SWIRLING RAPIDS
OF NIAGARA!**

Marilyn Joseph
MONROE · COTTEN

Niagara

with JEAN PETERS **TECHNICOLOR**

—Plus—
SINS OF LULU BELLE

YOU SAVE EXTRA HERE

WE GIVE BB STAMPS

Quality Food at Even Greater Savings

B & B STAMPS mean valuable merchandise to you without extra cost.

The More You Buy The More You Save!

PELFREY FOOD STORE

J. C. PELFREY

14th at Ave. D Phone 590

Loboes —

(From page one)

boes 12 yards, and Gallegos got loose for 22 more to the 30. Three plays netted four yards, and Bill Smith punted to the Weatherford 13. A penalty set the Kangaroo back to their 3-yard line. Buck Whitehead then intercepted a long pass on the Weatherford 31. The Loboes lost 30 yards on three plays, two of them passing efforts, and Smith's punt was brought back to the 50 to set the stage for the first touchdown. Clyde Estes got 10 yards, and Parks passed to End Dan Bowden on the Cisco 1. Estes plunged over and Bowden kicked the extra point.

The Loboes took the kickoff on their 35. Three plays gained eight

yards and a bad pass-back caused Smith to run with the ball instead of punting. He was stopped on the Cisco 41. Estes got loose to the 25, and Parks got away for a touchdown. Parks ran the ball over for the extra point.

Cisco took the kickoff to open the second half on their 34. Three line bucks carried to the 45. Phippen and Davis plunged 11 yards, and Phippen got through to the Weatherford 32. Three plays later, the Loboes fumbled and lost the ball on the Weatherford 24.

Tackle Edward Bernie promptly recovered a Kangaroo fumble on their 34. Four plays produced nine yards and the ball went over on the 25. Three Kangaroo plays gained only 1 yard, and a punt went to the Cisco 35-yard line.

Three Cisco plays gained 8 yards and Smith punted to the Weatherford 21 as the period ended.

Weatherford drew a 15 yard setback, and Fred Hayes intercepted a long pass on the Weatherford 26. Gallegos made 9 yards and Tom Reynolds drove three more to the 13. Four plays gained only 5 yards and the ball went over on the Kangaroo 8.

Three plays made 10 yards, and three more carried to the Weatherford 38. Martin got 16 yards, and Bowden took an 8-yard pass. Tyus drove to the Lobo 36 where Arzell Hale recovered a fumble for the Loboes. An exchange of penalties and two line plays gave the Loboes a first down on the 47. Four plays failed and the ball went over on the 50. After two plays misfired, Parks passed to Bowden who ran over for a touchdown. He missed the try for extra point.

Hale took a short kickoff on the Cisco 48. Weatherford recovered a Lobo fumble there. Estes got 11 yards, and Tommy Collier hit Parks for a 12-yard loss. Estes got through for 18 yards as the game ended.

Game at a glance

Cisco	Weatherford
11 first downs	11
171 yards gained rushing	151
3 passes attempted	10
1 passes completed	4
8 yards gained passing	108
3 for 29 punts - avg. 4 for 29	2 for 20 penalties-yds. 7 for 85
2 fumbles	2
5 fumbles recovered	3

Lobo players seeing action: Buck Whitehead, Tommy Reynolds, Benji Lipsey, Jim Reynolds, Harold Phippen, Fred Hayes, Jerry Weiser, Bill Smith.

Bill Miller, Kent Davis, Marcus Gallegos, Ronnie Qualls, Bob Qualls, Tommy Collier, Danny Louder, Monte Ingram, Arzell Hale, Joe Farrow, Kenneth Penn, Carroll Thames, Edward Bernie and Benny Edwards.

Kangaroo players seeing action: Willard Dewveall, Paul Martin, Clyde Estes, Weldon Parks, Don Johnson, Gerald Williams, Kenneth Korges, Vernon Tyus, James Brotherton, George Darden, Tommy Dent, James Langford, Eddie Malone, Dan Bowden and Harry Moore.

MAJESTIC IN EASTLAND

THE FATHER OF THE BRIDE IS NOW THE FATHER OF THE ACTRESS!

Spencer Tracy · Jean Simmons · Teresa Wright

"THE ACTRESS"

Color Cartoon and Late World News

Features Sunday: 2:00 3:54 5:48 — 7:42 9:36

you're always WELL DRESSED in BLUE

you're always WELL DRESSED in BLUE

Whatever the occasion, blue gets the call — and she'll call you smart... for a blue suit brings out the best in you. Choose from our large selection of unfinished worsteds and gabardines... single or double-breasted. And this Fall you can have your blue suit with patch pockets too.

Whatever the occasion, blue gets the call — and she'll call you smart... for a blue suit brings out the best in you. Choose from our large selection of unfinished worsteds and gabardines... single or double-breasted. And this Fall you can have your blue suit with patch pockets too.

Nick Miller
The Man's Store

FREE

48 Piece CANNON Towel Set (Value \$21.00)

With Purchase Of

- Any New Maytag Automatic Washer.
- Maytag Stove
- Maytag Deep Freeze (Value over \$300)

FROM NOVEMBER 1 — 15
Bath Towels, Face Towels, Wash Cloths, etc.

CISCO MAYTAG CO.

711 AVE. D. PHONE 399

DIXIE
Drive-In Theatre

Eastland — Ranger Highway
Box Office Opens 6:45.
Showings at 6:45 and 8:45
ADMISSION 40c
Children under 12 Free

SUN. — MON. — TUES.

THE STORY OF THREE LOVES
— with —
PIER ANGELI
ETHEL BARRYMORE
LESLIE CARON
KIRK DOUGLAS
FARLEY GRANGER
JAMES MASON

WEDNESDAY — THURSDAY

Meet **DR. JEKIL and MR. HYDE**
— with —
BUD ABBOTT
LOU COSTELLO
BORIS KARLOFF

FRIDAY & SATURDAY

The Great SIOUX UPRISING
— with —
JEFF CHANDLER
FATH DOMERGUE

MID SEASON CLEARANCE

COATS SUITS DRESSES SHOES

SALE OF BETTER SUITS and COATS
Betty Rose, Dumas of Calif., Junior Deb.
Regular values to \$39.75. Beautiful styles in fine quality woollens.

\$38.00
\$49.75 all-wool gabardine coats now only \$29.75

SUITS and COATS
All wool shortie coats rayon ardine and acetate suits. Values to \$24.95

\$15.00

Children's COATS
Just received new shipment pretty all-wool coats in fleeces and tweeds. Specially priced

\$12.95 to \$24.95

DRESS SPECIALS
New Fall and Winter styles in crepes, woollens, rays, failies. About 200 new dresses now on sale.

\$5.00 \$7.95 \$10.

SHOE SPECIAL
300 pairs new Fall shoes at reduced prices. High heels, medium heels, low heels, wedges. Smooth calf leathers and suedes. Values were \$5.95 to \$7.95, now only, pair

\$3.95

SUEDE WEDGES
Were \$3.59 to \$8.95 — Now

\$2.98 to \$5.95
black, tan, green


ALTMAN'S

—YOUR STORE OF NATIONALLY ADVERTISED FASHIONS—

Best time to trade for

BARGAIN BUYS IN TRUCKS

Chevrolet Trucks!



From light delivery to heavy hauling there's a Chevrolet truck to fit your need.

CHEVROLET

MORE CHEVROLET TRUCKS IN USE THAN ANY OTHER MAKE!

Buy no truck until you get our deal!

Be ahead on price! Chevrolet trucks are America's lowest priced truck line! It's easy to find a truck that costs more, but nowhere else will you find all the advanced features, all the thrifty power, all the ruggedness and durability you get in a Chevrolet truck.

Be ahead on operating costs! Both the mighty Loadmaster engine on heavy-duty models and the rugged Thriftmaster engine on light- and medium-duty models squeeze more miles out of every gallon of gas. Chevrolet trucks cut upkeep costs, too.

Be ahead on trade-in! You're ahead with low first cost... you're ahead with low operating costs... and you're dollars ahead again when it's time to trade! That's because Chevrolet trucks traditionally command a higher trade-in value. Buy now and be ahead all ways!

A - G Motor Company

515 Ave. D Cisco, Texas Phones 51